
SE VOR

SENOR POS SOLUTION

POS all-in-one products that provide Reliability, Comfort and Convenience









Unique Slim Sleek

A light and compact POS giving you the bet solution for countertop or wall-mount operation.











Senor X5s

- **CPU:** Intel 12th Gen. Core i3-1215U 4.4GHz, Fanless
- Resolution and Size: 15.6" 16:9 LED backlight Slim TFT LCD, 1920*1080 (On Cell PCT Touch)
- RAM: 8GB DDR4 RAM, Max. 32GB
- Storage: 256GB PCle Gen3x4 NVMe M.2 2280 SSD (& M.2 2242 SATA III SSD*1)
- OS: Optional (Win 10 IoT/Windows 11 Pro)



Senor V4s

- **CPU:** Intel J6412 2.0 GHz up to 2.6GHz, Fanless (10W)
- Resolution and Size: 15 " True Flat TFT LCD with PCT Touch
- RAM: 4GB DDR4 RAM
- Storage: 256GB PCle Gen3x4 NVMe
- OS: Optional (Win 10 IoT)



Senor X5e

- CPU: Intel Celeron 3965U 1.8GHz up to 2.2GHz (2M Cache/15W)
- Resolution and Size: 15.6 " 16:9 LED backlight (10mm Thickness) Slim TFT LCD, 1920*1080 (On Cell PCT Touch)
- RAM: 4GB DDR4 RAM
- Storage: 128GB PCle Gen3x4 NVMe
- OS: Optional (Win 10 IoT)



Senor V5s

- **CPU:** Intel Core i3-7020U 2.3 GHz, Fanless (15W)
- Resolution and Size: 15 " True Flat TFT LCD with PCT Touch
- RAM: 8GB DDR4 RAM
- Storage: 256GB M.2 2280 PClex4 HNVe SSD
- OS: Optional (Win 10 IoT)



Senor S3s

- **CPU:** Intel Core i3-7020U (3M Cache, 2.30 GHz) (15W)
- Resolution and Size: 11.6 " 16:9 LED backlight Flat & FHDTFT LCD, 1920*1080
- RAM: 4GB DDR4 RAM
- Storage: 128GB PCle Gen3x4 NVMe
- OS: Optional (Win 10 IoT)



Senor F5

- **CPU:** Intel Celeron J6412 (1.5M Cache, 2.60 GHz)
- Resolution and Size: 15" LED-backlit TFT LCD, 1024x768
- RAM: 4GB DDR4 SODIMM socketStorage: 128GB PCIe Gen3x4 NVMe
- OS: Optional (Win 10 IoT)



Senor +6p

- OPU: Intel Core i5-8500T 3.1 GHz, Fanless (35W)
- Resolution and Size: 15 " True Flat TFT LCD with PCT Touch
- RAM: 8GB DDR4 RAM (Max. 32GB)
- Storage: 256GB M.2 2280 PClex4 SSD
- OS: Windows 10 LoT Enterprise SAC 2019 Multilane OEI Value EPKEA, for Core i3/i5

POS PERIPHERAL



Senor GTP-183

- Print Method: Thermal Printing
- Print Speed: 300 mm/s
- Paper Size: 82.5/80/58mm
- Interface: USB/Ethernet (Network)



POS RECEIPT PRINTERS

Leading the industry with easy-to-use features, fast printing speeds and superior reliability.





TM-T88VII

- Printing Method: Thermal Line Printing
- Print Speed: 500 mm/sec
- Thermal Printhead Life: 200 Km
- Auto Cutter Life: 3 million cuts
- Interface: USB B x1, USB A x1, Ethernet (Seria I/ Parallel / Powered USB / Wi-Fi Dongle Optional).



TM-T82X

- Printing Method: Thermal Line Printing
- Print Speed: 200 mm/sec
- Print Mechanism Life: 15 million lines
- Auto Cutter Life: 1.5 million cuts
- Interface: TM-T82X-461: USB + Serial / TM-T82X-462: Network



TM-U220B

- Printing Method: Thermal Line Printing
- Print Speed: 4.7 lps (at 40 columns, 16cpi) 6.0 lps (at 30 columns, 16cpi)
- Print Mechanism Life: 7.5 million lines
- Auto Cutter Life: 800,000 cuts
- Interface: Ethernet

MAKEN

Heavy Duty Medium Cash Drawer

Make It Happen

INNOVATION QUALITY **SERVICE**



Made of heavy gauge steel, suitable for heavy duty use and prolonged operational life, the ideal choice for reliability and perfect platform for any EPos terminal also the ideal base for large size ECR.

- Cash Tray: Removable cash tray of 5 horizontal bills/ 4 semivertial bills
- Connection: Epson standard RJ11
- **Dimension:** 410(W)X420(D)X100(H)







Durable Metal Wire Gripper Bill Holder Tested over one million operations

Easy and comfortable operation. **Human Engineering Design**

Removable and adjustable cash tray